

Site Plan / Revised Site Plan Checklist

For Office Use Only

Project # _

Revision Date: 08/2015

Page 1 of 4

The following is a partial listing of requirements for site plan and revised site plan applications as found in Van Alstyne's development regulations and policies. A completed checklist must be submitted with each application. Applicants shall indicate compliance with standards by checking the box adjacent to the standard. Failure to comply with standards could result in rejection of application and/or delay of site plan / revised site plan approval.

Approval of the site plan shall be required for all development proposals involving the following:

- ·A specific use permit
- ·A multiple family project
- ·Shopping Centers
- ·Mobile Home Parks

•Principal permitted uses in all zoning districts, excepted as exempted under the provisions of subsection (b)(4)c •Any development where more than one main building or primary use is proposed on a single lot, building site, or tract

·A planned development

Plan Format & General Standards (check if provided; indicate NA if not applicable)

Plan graphics shall comply with the following plan format and general standards:

- □ Sheet size shall be 24"x36", black & white drawing on bond paper in landscape view.
- Plan is clear and legible. Use a variety of line types and line weights. Do not use gray-scale shading; use stipple shading instead. Do not screen information.
- □ Permissible scale for plan are engineer scales 1" = 20', 30', 40', 50', 60', or 100'. Architectural scales are not acceptable.
- Title block shall be in the lower right-hand corner of the plan. The title block shall contain: plan type; project name (subdivision name, lot and block designations); zoning district; gross acreage; lot coverage; city, county and state name; survey and abstract name; and date of preparation.
- □ Provide city approval verbiage above title block.
- Label company name, preparer name, address and phone number of plan preparer (e.g., surveyor, engineer, architect, landscape architect, etc.) in the vicinity of the title block
- Label company name, contact name, address, and phone number of current property owner in the vicinity of the title block.
- □ Orient plan so that North is the top or left-hand side of sheet
- Provide north arrow, graphic scale, and written scale in close proximity to each other.
- Provide a vicinity map in the same orientation of the plan showing subject property, north arrow, scale (or labeled "not to scale"), and adjacent thoroughfares with a one mile radius of site.
- Proposed use or uses (letter of intent) is required, but can be submitted separately from plans

Site Information (check if provided; indicate NA if not applicable)

For proposed site, please provide the following:

- The site plan shall include all the land that existed in single ownership at the time of initial zoning.
- Plan is consistent with valid plans and plats approved for this site
- □ Plan integrates with valid plans and plats approved for adjacent contiguous sites.
- Plan is consistent with zoning, overlay districts, heritage designations, and/or specific use permits approved for site.
- Show current and proposed boundaries / lot lines. Label distance and bearings off curve data as appropriate.
- Lots comply with minimum lot frontage, lot width, lot depth, and lot area standards.
- □ Label proposed lot and block designations.
- Label lot area for each lot in acres and square feet (net and gross).
- Dimension property boundaries to nearest intersecting streets or driveways.
- □ Show and label existing topography at two-foot contours referenced to sea-level datum.
- Show and label proposed topography at two-foot contours reference to sea-level datum. Spot elevation may be used but cannot substitute for contours.
- □ Include a drainage area map
- □ Show and label existing and proposed culverts
- □ Show and label flood plains, drainage ways, and creeks
- □ Show and label front, side, and rear yard building setbacks.
- Show and label existing and proposed buildings. Provide general building dimensions and distances between buildings.
- For each building, label proposed use, gross building area (square feet), building height (number of stories), and building height (in feet to tallest element of the building).
- □ Show and label location of any on-site items (kiosks, drop boxes, etc.)
- □ If proposed lot is adjacent to or contains 100-year developed condition floodplain, label each building's minimum finish floor elevation.
- Show and label vehicle circulation lanes, private drives, fire lanes, and driveways. Label as existing or proposed. Shade fire lanes with a ten percent stipple pattern; do not use gray-scale shading. Dimension pavement widths, R.O.W., and/or easement widths, driveway throat widths, radii, and distances between driveways and intersecting streets. Label pavement construction (e.g., asphalt, concrete, etc.).
- □ Show and label all medians, islands, barriers, and channelization
- □ Show and label handicapped ramps (required at all intersections)
- □ Show and label traffic control devices
- □ Show and label sign locations
- Show a minimum of two points of access (one is direct street access and one is to a median opening).
- □ Show, label, and dimension visibility access maintenance (VAM) easements and corner clips.
- □ Cross-access circulation lanes with easements are provided between lots.
- Show, label, and dimension drive-through lanes including all stops (menu boards, windows, etc.) and stacking and escape lanes.
- Vehicle circulation lanes, private drives, fire lanes, and driveways are consistent with site's Traffic Impact Analysis (if required).
- Show and label offsite parking. Dimension distance from offsite parking to nearest lot line of site.

City of Van Alstyne Planning Department

Site Information Continued (check if provided; indicate NA if not applicable)

- Show parking areas. Label as existing or proposed. Label pavement construction (e.g., asphalt, concrete, etc.).
 Dimension parking spaces and label number of space per tier of parking. Show and label accessible parking spaces including accessible passenger loading zones and routes.
- Dead-end parking does not exceed six parking spaces in depth.
- □ Show, label, and dimension required off-street loading spaces.
- □ Show and label landscape areas.
- □ Show and label locations of major tree coverage out to canopies
- Show existing and proposed water utilities and associated easements. Dimension easement widths. Label line sizes. Show and label water meters and provide identification symbols. Show and label valves, Fire Department connections, fire hydrants, detector check vaults, and other associated structures.
- Provide water meter schedule. Schedule should contain meter symbol identification, meter type (domestic or irrigation), meter size, quantity of meters, note if existing or proposed meters, and note associated sanitary sewer size (or "not applicable" if for irrigation meter).
- Show existing and proposed sanitary sewer utilities and associated easements. Dimension easement widths. Label line sizes. Label cleanouts, manholes, and other associated structures.
- Show existing and proposed storm sewer utilities and associated easements. Dimension easements widths. Label line sizes. Label culverts, inlets, junction boxes, and other associated structures.
- □ Show and label existing and proposed private utility easements
- □ Show and label location and size of sand and grease traps
- □ Show and label location and size of sampling pits
- □ Show and label location and type of pretreatment
- □ Show and label 100-year developed condition floodplain.
- Show and label floodway and drainage easement including access and maintenance easement.
- □ Show and label structural and nonstructural storm water controls / best management practices.
- Show area for refuse and recycling container enclosures per lot. Provide interior dimensions and label enclosure screening
- □ Show, label, and dimension trash compactors. Label compactor screening
- □ Show and label delivery truck dock locations
- Show, label, and dimension open storage and vehicle storage areas including required screening and pavement construction (e.g., asphalt, concrete, etc.).
- □ Show and label location of hazardous chemical storage
- □ Show and label above ground and underground fuel storage tanks. Label fuel tank capacities.
- Show and label emergency electrical generators. Label fuel type and tank capacity. Indicate location for refueling vehicles. Add note: "Tentative location of emergency electrical generator. Location may be subject to change to compliance with zoning, building, fire, and noise regulations."
- Show and label type and height of screening walls, retaining walls, headlight screens, and/or living screens. For living screens, state plant type, size, and spacing.
- □ Show and label type and height of fences and gates.

R.O.W., Street Design, and Access Information (check if provided; indicate NA if not applicable)

Provide the following R.O.W., street design, and access information for roadways within the site and contiguous to the site:

- Show public, semi-private, and private streets. Show and dimension R.O.W., and/or easement widths, pavement widths, and street centerlines. Label as existing or proposed. Label street names. Label pavement construction (e.g., asphalt, concrete, etc.).
- Show and dimension median openings. Label as existing or proposed. Dimension distance between median openings and distances to nearest offsite median openings.
- Show and dimension left turn lanes and deceleration lanes with associated storage and transition areas. Label as existing or proposed.
- Show driveways. Label as existing or proposed. Dimension driveway throat widths, driveway radii, and distances between driveways and intersecting streets.
- Streets, median openings, turn lanes, deceleration lanes, and driveways are consistent with the site's Traffic Impact Analysis (if required).
- □ Show and dimension sidewalks and barrier-free ramps. Label as existing or proposed.
- □ Show and label existing topography at one-foot contours referenced to sea-level datum.
- Show on-street parking. Label as existing or proposed. Label pavement construction (e.g., asphalt, concrete, etc.). Dimension parking spaces and label number of space per tier of parking. Show and label accessible parking space and accessible passenger loading zones.

Adjacent Property Information (check if provided; indicate NA if not applicable)

- Show, label, and dimension the portion of previous approved concept plans, preliminary site plans, and site plans within 50 feet of the site boundary and within 50 feet of R.O.W. contiguous to the site boundary.
- For platted properties, show lot lines and label subdivision name, lot and block designation, and plat record information for each lot.
- For unplatted properties, show parcel lines and label record owner and deed record information for each parcel.
- Label zoning and land use per City of Van Alstyne Schedule of Permitted Uses for each lot and parcel.
- Show and label existing and proposed buildings, landscape areas, and parking areas. Label parking area construction (e.g., asphalt, concrete, etc.).
- Show vehicle circulation lanes, private drives, fire lanes, and driveways. Label as existing or proposed. Shade fire lanes with a ten percent stipple pattern; do not use gray-scale shading. Dimension pavement widths, R.O.W. and/or easement widths, driveway throat widths, radii, and distances between driveways and intersecting streets. Label pavement construction (e.g., asphalt, concrete, etc.).
- Show, label, and dimension water, sanitary sewer, and storm sewer utilities. Label as existing or proposed.
- Show, label, and dimension easements. Label as existing or proposed. Provide recording information for existing easements.
- □ Show and label existing topography at one-foot contours referenced to sea-level datum.